

Work Order ID 74800**74800***

Page 1

October 6, 2011 1:41:04 PM

Item ID: D6101-015

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle Billet

Start Date: 10/06/11 Start Qty: 8.00

8

Cust Item ID:

Required Date: 10/17/11 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: M.L.J Date: 11/10/06 Tooling: _____ Date: _____Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

D6101	B
-------	---

100

0.00

100

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 15125

a) Description: Alluminum billet

b) 9.450" x 6.250" x 2.50" thick (+0.030 / -0.000)

c) Tolerance on all dimensions are +0.030"/-0.000"

d) Grain direction along 9.450" length

e) Material: 7075-T7351 (QQ-A-250/12)

f) Material certification required

11-10-11
(S)

110

0.00

110

Receive & Inspect for Damage & Mat'l Certs

Packaging

Memo

0.00

Packaging

Ensure material certification is attached

11/10/20 (S)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 74800**74800***

Page 2

October 6, 2011 1:41:04 PM

Item ID: D6101-015

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Saddle Billet

Stop ***NS2***

Start Date: 10/06/11 Start Qty: 8.00

8

Cust Item ID:

Required Date: 10/17/11 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

120 QC6- Inspect dimensions to drawing

0.00

*OK 11/10/25****120***

QC

Memo

0.00

Quality Control

Ensure Material certification comply to Dwg D6101

8 0 _____130 Identify as per dwg & Stock Location: *MAT45* 0.00***130***

Packaging

Memo

0.00

Packaging

*OK 11/10/25*8 0 _____

140 QC21- Final Inspection - Work Order Release 0.00

140

QC

Memo

0.00

Quality Control

_____ 11/10/25 *[Signature]**11-10-25 (8)*

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

October 6, 2011 1:41:09 PM

Page 1

Work Order ID: 74800

74800

Parent Item: D6101-015

D6101-015

Parent Item Name: Saddle Billet

Start Date: 10/06/11


Required Date: 10/17/11

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP RevA: New issue DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-015P *D6101-015P* ALUM BILLET		Purchased	No			110	Each	0.0000	1 **	8			



Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 74800 M.C.T
11/10/06

PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

B ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

RELEASED
09/07/15/W

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D6101	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	SADDLE BILLET, 7075	NTS
DATE	09.04.23	<small>COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP

Page 1 of 1

Shipment No:1028920

Ship From: A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 19-OCT-2011	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier MANITOULIN		BOL No 1028920-2	

Shipment Details	Final Destination Branch - MON
-------------------------	---------------------------------------

Order No 1765138	Line No 1	Item No 752241.MO	Description 2.5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 6.25 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 9.45")) X 9.45 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 9.45")) - ALUMINUM PLATE SAW SPECIFICATIONS: QQ-A-250/12				
Purchase Order No 15125		Part Number YOUR ITEM NUMBER: D6101-015		Ordered Qty 8.00 PCS		Invoice Qty 8 PCS	
Details							
Delivery No. 99655327	Mill	Heat Number 485604A3	Mech Id	PCS 8	Width (IN)	Length (IN)	Shipped Qty(LBS) 122.17

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

SHIP TO:

CASTLE % CASTLE AEROSPACE
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

SOLD TO:

CAS AERO%AM CASTLE METALS
ATTN: BOB OHR %ACCTS PAYABLES
3400 NORTH WOLF ROAD
FRANKLIN PARK, IL 60131

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4172660

CUSTOMER PO NUMBER: 15132		WORK PACKAGE:	CUSTOMER PART NUMBER: 6879 AMC A97075-60		SHIP RUN/LOAD ID: 101636/8	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1087324	LINE ITEM: 1	SHIP DATE: 29-SEP-2009	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: Sawed Plate
WEIGHT SHIPPED: 41304 LB	QUANTITY: 23 PCS EST.	B/L NUMBER: 2024219	GUAGE: 2.5000 IN	DIAMETER/WIDTH: 48.500 IN		LENGTH: 144.500 IN

Certified Specifications

AMS 4078/RevG
ASTM B 209/Rev07
BSS 7055/RevA
DPS 4.713/RevAH
GSS16100/RevG/Amd1

AMS-QQ-A-250/12
ASTM B 594/Rev06
CMMP 025/RevS
EAC MS1011/RevE
MMS 159/RevN

AMS-STD-2154
BAC 5439/RevH
CSTI 006/RevC
GAMPS 9101/RevB
PS 21211/RevK

Test Code: 4297

Test Results

Lot: 479608A2 Cast 268

Drop 23

Ingot 1

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.5 : 71.8 (493 : 495)	59.8 : 60.1 (412 : 414)	11.3 : 11.6

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.5 Max
(MS/M) :	23.7 Min	24.1 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.10	0.20	1.5	0.03	2.5	0.19	5.7	0.04	0.01	0.02	TOT 0.05

TEST REPORTS AND
DATA CONFIRMED



**KAISER
ALUMINUM**Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586**CERTIFIED TEST REPORT**Serial Number
4172660

Lot: 485572A2 Cast 271 Drop 26 Ingot 1

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.8 : 72.4 (488 : 499)	58.4 : 60.2 (403 : 415)	10.9 : 11.2

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.6 Min	40.9 Max
(MS/M) :	23.5 Min	23.7 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.10	0.22	1.5	0.04	2.5	0.20	5.7	0.03	0.01	0.02	TOT 0.05

Lot: 485579A7 Cast 271 Drop 27 Ingot 1

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.0 : 72.3 (490 : 499)	58.9 : 60.1 (406 : 414)	10.7 : 11.1

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	39.7 Min	40.6 Max
(MS/M) :	23.0 Min	23.5 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.20	1.5	0.08	2.6	0.19	5.6	0.02	0.01	0.01	TOT 0.05

KAISER

ALUMINUM

CERTIFIED TEST REPORT

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

Serial Number
4172660

Lot: 485604A3 Cast 271 Drop 23 Ingot 2

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.8 : 72.0 (495 : 496)	59.9 : 60.4 (413 : 416)	10.6 : 10.9

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	41.3 Min	41.3 Max
(MS/M) :	24.0 Min	24.0 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.21	1.5	0.04	2.5	0.20	5.6	0.04	0.01	0.01	TOT 0.05

Lot: 485663A9 Cast 271 Drop 29 Ingot 4

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.8 : 73.3 (488 : 505)	58.7 : 62.7 (405 : 432)	10.8 : 11.5

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	39.0 Min	42.0 Max
(MS/M) :	22.6 Min	24.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.18	1.4	0.04	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.05



Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4172660

Lot: 485715A7 Cast 271 Drop 21 Ingot 4

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.4 : 72.4 (492 : 499)	59.2 : 60.9 (408 : 420)	11.2 : 11.4

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.2 Max
(MS/M) :	23.7 Min	23.9 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.21	1.5	0.04	2.5	0.19	5.5	0.04	0.01	0.01	TOT 0.05

Lot: 485730A6 Cast 271 Drop 29 Ingot 3

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.6 : 74.0 (494 : 510)	59.9 : 63.3 (413 : 436)	11.3 : 11.3

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	39.3 Min	42.1 Max
(MS/M) :	22.8 Min	24.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.18	1.4	0.04	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.05

ALLOY LIMITS

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075 MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder



Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4172660

TEST NOTES

7075-T7351 plate 3.501-4.000" thick, if
ultrasonically inspected, meets requirements of CMMPO25 per
SDR CMMPO25-KaiserT-3. 7075-T7351 plate 4.001-5.000" thick,
if ultrasonically inspected, meets requirements of CMMPO25
per
SDR CMMPO25-KaiserT-2.

Metal represented by this test report was immersion
ultrasonically tested from one side and meets the Class A
and Class B requirements of all specifications referenced
on this test report.

CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA OR A QUALIFYING COUNTRY PER DFARS 225.872-1(a), WAS MANUFACTURED IN THE UNITED STATES OF AMERICA, AND MEETS THE REQUIREMENTS OF DFARS 252.225 FOR DOMESTIC CONTENT. THIS MATERIAL HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTIRETS ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED.

BILL POYNOR, LABORATORIES SUPERVISOR